

This listing of claims will replace all prior versions, and listings, of claims in the application:|

Listing of Claims:

Claim 1 (previously presented): In a computer system including a host computer, a main display unit and a remote peripheral device having an auxiliary display unit, the remote peripheral device communicating with the host computer, a method comprising:

providing at the remote peripheral device notification of an event received from a source application at the host computer;

responsive to a first user input at the remote peripheral device, displaying on the auxiliary display unit information associated with the event;

forming a query based upon the first user input; and

responsive to a second user input at the remote peripheral device, executing the query to cause the source application to be launched by the host computer.

Claim 2 (original): The method according to claim 1, wherein the event represents receipt of a message.

Claim 3 (original): The method according to claim 2, wherein said executing includes displaying the message on the main display unit.

Claim 4 (original): The method according to claim 2, wherein the event represents receipt of a calendar message.

Claim 5 (original): The method according to claim 1, wherein the notification comprises a visual signal.

Claim 6 (original): The method according to claim 1, wherein the notification comprises an audio signal.

Claim 7 (original): The method according to claim 2, wherein the information includes subject and author of a message.

Claim 8 (original): The method according to claim 1, where the first user input includes plural user inputs.

Claim 9 (original): The method according to claim 8, wherein the second user input includes a single user input.

Claim 10 (previously presented): The method according to claim 1, wherein the source application is a calendar application.

Claim 11 (previously presented): The method according to claim 1, wherein the source application is an Internet browser.

Claim 12 (previously presented): The method according to claim 1, wherein the source application is a messaging application.

Claim 13 (original): The method according to claim 1, wherein the event is a news event and the information includes news information.

Claim 14 (original): The method according to claim 1, wherein said executing includes displaying the information on the main display unit.

Claim 15 (original): A computer readable medium having computer-executable instructions for performing the steps recited in claim 1.

Claim 16 (previously presented): The method according to claim 1, further including
displaying on the auxiliary display unit a plurality of first soft labels representing a plurality of applications, including an application associated with the event;

responsive to actuation of a first button on the remote peripheral device associated with one of the first soft labels representing the application, displaying on the auxiliary display unit a plurality of second soft labels, each second soft label representing a different function within the application, the second soft labels replacing the first soft labels on the auxiliary display unit; and

responsive to actuation of a second button on the remote peripheral device associated with one of the second soft labels, executing a function within the application on the remote peripheral device,

wherein the first user input includes actuation of the first button followed by actuation of the second button.

Claim 17 (currently amended): In a computer system including a host computer and first and second input/output devices, a method comprising:

providing first information in a context at the first input/output device in response to a first user input;

forming a query associated with providing the first information in said context at the first input/output device; and

responsive to a second user input, launching an application based on the query to provide second information in said context at the second input/output device.

Claim 18 (original): The method according to claim 17, wherein the first and second input/output devices are remote peripheral devices.

Claim 19 (original): The method according to claim 17, wherein the first input/output device is a remote peripheral device and the second input/output device is part of the host computer.

Claim 20 (original): The method according to claim 17, wherein the second information includes richer content than the first information.

Claim 21 (original): The method according to claim 17, wherein the application is a browser.

Claim 22 (original): The method according to claim 17, wherein the application is a messaging application.

Claim 23 (original): The method according to claim 22, wherein the information includes subject and author of a message.

Claim 24 (original): The method according to claim 17, wherein the second user input is a single user input.

Claim 25 (original): The method according to claim 17, wherein the first user input includes plural user inputs.

Claim 26 (original): The method according to claim 17, wherein said forming the query includes translating the first user input into instructions understood by the host computer.

Claim 27 (previously presented): The method according to claim 17, wherein the first and second information are news information, the first information including a news story headline and only the second information including the news story.

Claim 28 (previously presented): The method according to claim 17, wherein the first and second information are news information, the first information including an abstract of a news story and only the second information including a full version of the news story.

Claim 29 (original): A computer readable medium having computer-executable instructions for performing the steps recited in claim 17.

Claim 30 (original): The method according to claim 17, wherein the second user input identifies an input/output device type, said method further comprising, responsive to the second user input, determining that the second input/output device type is the closest input/output device to the first input/output device of the identified type.

Claim 31 (original): The method according to claim 17, wherein the query is a URL query string.

Claim 32 (previously presented): In a computer system including a host computer, a main user interface and a remote peripheral device associated with an auxiliary user interface, the remote peripheral device in communication with the host computer, a method comprising:

storing a sequence of activations input to the auxiliary user interface to obtain a context on the auxiliary interface;

building a query from the sequence of activations, the query being understood by the host computer; and

responsive to a single activation input to the main user interface or the auxiliary interface, executing the query to provide the context on the main user interface.

Claim 33 (original): The method according to claim 32, wherein the context is a browser context.

Claim 34 (original): The method according to claim 32, wherein the context is in a messaging application context.

Claim 35 (original): A computer readable medium having computer-executable instructions for performing the steps recited in claim 32.